


MOTOTRBO™ SL SERIES DIGITAL TWO-WAY PORTABLE RADIO

WHERE FUNCTION MEETS STYLE



USD PRICE CATALOGUE



Contents

SL4000 MOTOTRBO Portable Radio Models

SL4010 MOTOTRBO Portable Radio Models

SL4000 Series Portable Radio Accessories

Price catalogue is subject to change without notice.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2012 by Motorola Solutions, Inc. All rights reserved.



2-Way Radios and Systems | MOTOTRBO SL4000 Series Portable

SL4000 MOTOTRBO Portable Radio

PRB EMEA USD Reseller (USD)

Pricing Information Valid As Of: Monday, February 20, 2012

MOTOTRBO SL4000 - Where Function Meets Style**Features**

- Slim, sleek design - SL4000 dimensions 121x55x17.4mm (w/1400mAh battery fitted)
- UHF1 (403-470MHz); 2W; IP54 rated
- Up to 1000 channels
- Dual internal speakers deliver loud, clear audio quality
- Tri-colour LED indicator for clear, visible feedback of calling, scanning, roaming and monitoring features.
- Contoured push-to-talk button provides comfort and is easy to access
- 4-way navigation disc for easy scrolling through menus and channels
- 2 programmable option buttons for quick access to frequently used features; ability to program up to 9 of your favorite features into a single programmable button
- Built-in Bluetooth for wireless and data
- Audio connector port supports discreet wired audio accessories (wireless Bluetooth audio also available)
- Built-in photo sensor intuitively adjusts backlighting on the screen to optimize viewing in all types of conditions, special "day/night mode" changes screen and illuminates icons to make them clear and readable in varying light conditions
- Large, high-definition, 5 line, colour display offers high clarity and resolution
- Intelligent Audio feature automatically adjusts the radio volume according to the environment's noise level
- Innovative antenna design optimizes range performance (3 variations depending on frequency required)
- Covert mode for discrete operation when it counts
- IP Site Connect (Multiple Site Trunking) and Capacity Plus (Single Site Trunking)

Standard Package

- Li-Ion 1400mAh (Typ) Battery (PMNN4425_)
- Charger option (PMPN4006_)
- Antenna Option (PMAE4076_, 77_, 78_)
- Carry Holster (PMLN5956_)
- In-box Documentation (QRG option, Safety, RTTE Leaflet)

NOTE reminder: The 24 month warranty only applies to the radio tanapa.

Technical Data

Potential Self-quieting Frequencies to be avoided:

UHF: 403.200 MHz $\pm$ 15 kHz, 404.000 MHz $\pm$ 10 kHz, 408.000 MHz $\pm$ 10 kHz, 412.000 MHz $\pm$ 5 kHz, 420.000 MHz $\pm$ 15 kHz, 422.400 MHz $\pm$ 15 kHz, 428.000 MHz $\pm$ 5 kHz, 432.000 MHz $\pm$ 20 kHz, 432.100 MHz $\pm$ 10 kHz, 432.165 MHz $\pm$ 10 kHz, 432.450 MHz $\pm$ 5kHz, 436.000 MHz $\pm$ 5 kHz, 440.000 MHz $\pm$ 5 kHz, 441.600 MHz $\pm$ 15 kHz, 443.895 MHz $\pm$ 5 kHz, 444.000 MHz $\pm$ 20 kHz, 444.100 MHz $\pm$ 10 kHz, 451.200 MHz $\pm$ 15 kHz, 452.000 MHz $\pm$ 10 kHz, 456.000 MHz $\pm$ 20 kHz, 460.000 MHz $\pm$ 5 kHz, 460.800 MHz $\pm$ 15 kHz, 468.000 MHz $\pm$ 20 kHz, 468.100 MHz $\pm$ 10 kHz

SL4000 403-470M 2W EN FKP PMT532HE

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH81QCN9MA2AN	SL4000 403-470M 2W EN FKP PMT532HE CE: Yes RTTE: Yes	\$920.00
Mandatory Options: One option from each group must be chosen		
Antenna	QA02832AA ADD: STUBBY ANTENNA (403-425MHZ)	\$0.00
	QA02833AA ADD: STUBBY ANTENNA (420-445MHZ)	\$0.00
	QA02834AA ADD: STUBBY ANTENNA (438-470MHZ)	\$0.00
CLS BAT	QA02830AA ADD: SL BATT LIION 1800T	\$18.00
SL40X0	QA02831AA ADD: SL BATT LIION 1400T	\$0.00
CLS CHG	QA02837AA ADD : USB CHARGER	\$0.00
SL40X0	QA02838AA DEL : CHARGER	-\$15.00
CLS MAN	QA02839AA ADD: SL4000/4010 QUICK REFERENCE GUIDE	\$1.00
SL40X0	QA02840AA DEL: QUICK REFERENCE GUIDE	\$0.00

SL4000 MOTOTRBO Portable Radio

SL4000 403-470M FKP BULK PMT532HE

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH81QCN9MA2AN B	SL4000 403-470M FKP BULK PMT532HE CE: Yes RTTE: Yes	\$874.00
Mandatory Options: One option from each group must be chosen		
Antenna	QA02832AA ADD: STUBBY ANTENNA (403-425MHZ)	\$0.00
	QA02833AA ADD: STUBBY ANTENNA (420-445MHZ)	\$0.00
	QA02834AA ADD: STUBBY ANTENNA (438-470MHZ)	\$0.00
CLS BAT SL40X0	QA02830AA ADD: SL BATT LIION 1800T	\$18.00
	QA02831AA ADD: SL BATT LIION 1400T	\$0.00
CLS CHG SL40X0 BULK	QA03073AA ADD:USB CHARGER	\$0.00
	QA03074AA DEL:CHARGER	\$-15.00
CLS MAN SL40X0	QA02839AA ADD: SL4000/4010 QUICK REFERENCE GUIDE	\$1.00
	QA02840AA DEL: QUICK REFERENCE GUIDE	\$0.00

2-Way Radios and Systems | MOTOTRBO SL4000 Series Portable

SL4010 MOTOTRBO Portable Radio

PRB EMEA USD Reseller (USD)

Pricing Information Valid As Of: Monday, February 20, 2012

MOTOTRBO SL4010 - Where Function Meets Style

Features

- Slim, sleek design - SL4010 dimensions 121x55x17.4mm (w/1400mAh battery fitted)
- UHF1 (403-470MHz); 2W; IP54 rated
- Up to 1000 channels
- Dual internal speakers deliver loud, clear audio quality
- Tri-colour LED indicator for clear, visible feedback of calling, scanning, roaming and monitoring features.
- Contoured push-to-talk button provides comfort and is easy to access
- 4-way navigation disc for easy scrolling through menus and channels
- 2 programmable option buttons for quick access to frequently used features; ability to program up to 9 of your favorite features into a single programmable button
- Built-in Bluetooth for wireless and data
- Audio connector port supports discreet wired audio accessories (wireless Bluetooth audio also available)
- Built-in photo sensor intuitively adjusts backlighting on the screen to optimize viewing in all types of conditions, special "day/night mode" changes screen and illuminates icons to make them clear and readable in varying light conditions
- Large, high-definition, 5 line, colour display offers high clarity and resolution
- Intelligent Audio feature automatically adjusts the radio volume according to the environment's noise level
- Innovative antenna design optimizes range performance (3 variations depending on frequency required)
- Covert mode for discrete operation when it counts
- SL4010 models have an integrated option board
- IP Site Connect (Multiple Site Trunking) and Capacity Plus (Single Site Trunking)

Standard Package

- Li-Ion 1400mAh (Typ) Battery (PMNN4425_)
- Charger option (PMPN4006_)
- Antenna Option (PMAE4076_, 77_, 78_)
- Carry Holster (PMLN5956_)
- In-box Documentation (QRG option, Safety, RTTE Leaflet)

NOTE reminder: The 24 month warranty only applies to the radio tanapa.

Technical Data

Potential Self-quieting Frequencies to be avoided:

UHF: 403.200 MHz $\pm$ 15 kHz, 404.000 MHz $\pm$ 10 kHz, 408.000 MHz $\pm$ 10 kHz, 412.000 MHz $\pm$ 5 kHz, 420.000 MHz $\pm$ 15 kHz, 422.400 MHz $\pm$ 15 kHz, 428.000 MHz $\pm$ 5 kHz, 432.000 MHz $\pm$ 20 kHz, 432.100 MHz $\pm$ 10 kHz, 432.165 MHz $\pm$ 10 kHz, 432.450 MHz $\pm$ 5kHz, 436.000 MHz $\pm$ 5 kHz, 440.000 MHz $\pm$ 5 kHz, 441.600 MHz $\pm$ 15 kHz, 443.895 MHz $\pm$ 5 kHz, 444.000 MHz $\pm$ 20 kHz, 444.100 MHz $\pm$ 10 kHz, 451.200 MHz $\pm$ 15 kHz, 452.000 MHz $\pm$ 10 kHz, 456.000 MHz $\pm$ 20 kHz, 460.000 MHz $\pm$ 5 kHz, 460.800 MHz $\pm$ 15 kHz, 468.000 MHz $\pm$ 20 kHz, 468.100 MHz $\pm$ 10 kHz

SL4010 403-470M 2W EN GOB PMT532HEG

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH81QCN9NA2AN	SL4010 403-470M 2W EN GOB PMT532HEG CE: Yes RTTE: Yes	\$995.00

Mandatory Options: One option from each group must be chosen

Antenna	QA02832AA	ADD: STUBBY ANTENNA (403-425MHZ)	\$0.00
	QA02833AA	ADD: STUBBY ANTENNA (420-445MHZ)	\$0.00
	QA02834AA	ADD: STUBBY ANTENNA (438-470MHZ)	\$0.00
CLS BAT SL40X0	QA02830AA	ADD: SL BATT LIION 1800T	\$18.00
	QA02831AA	ADD: SL BATT LIION 1400T	\$0.00
CLS CHG SL40X0	QA02837AA	ADD : USB CHARGER	\$0.00
	QA02838AA	DEL : CHARGER	\$-15.00
CLS MAN SL40X0	QA02839AA	ADD: SL4000/4010 QUICK REFERENCE GUIDE	\$1.00
	QA02840AA	DEL: QUICK REFERENCE GUIDE	\$0.00

SL4010 MOTOTRBO Portable Radio

SL4010 403-470M GOB BULK PMT532HEG

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH81QCN9NA2AN B	SL4010 403-470M GOB BULK PMT532HEG CE: Yes RTTE: Yes	\$945.50
Mandatory Options: One option from each group must be chosen		
Antenna	QA02832AA ADD: STUBBY ANTENNA (403-425MHZ)	\$0.00
	QA02833AA ADD: STUBBY ANTENNA (420-445MHZ)	\$0.00
	QA02834AA ADD: STUBBY ANTENNA (438-470MHZ)	\$0.00
CLS BAT SL40X0	QA02830AA ADD: SL BATT LIION 1800T	\$18.00
	QA02831AA ADD: SL BATT LIION 1400T	\$0.00
CLS CHG SL40X0 BULK	QA03073AA ADD:USB CHARGER	\$0.00
	QA03074AA DEL:CHARGER	\$-15.00
CLS MAN SL40X0	QA02839AA ADD: SL4000/4010 QUICK REFERENCE GUIDE	\$1.00
	QA02840AA DEL: QUICK REFERENCE GUIDE	\$0.00

Antennas

	
Antenna UHF 420-445 MHz - Type: Stubby - Frequency Band: UHF - Frequency Range: 420-445 MHz - GPS: No - Colour Code: Black - Length (mm): 18 Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw. A T4 Micro TORX driver bit is required.	
Part Number: PMAE4076A ANTENNA KIT - BAND 2 (420-445 MHz) Unit of Measure: EA CE: No RTTE: Yes	List Price \$17.00

	
Antenna UHF 438-470 MHz - Type: Stubby - Frequency Band: UHF - Frequency Range: 438-470 MHz - GPS: No - Colour Code: Black - Length (mm): 18 Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw. A T4 Micro TORX driver bit is required.	
Part Number: PMAE4077A ANTENNA KIT - BAND 3 (438-470 MHz) Unit of Measure: EA CE: No RTTE: Yes	List Price \$17.00

	
Antenna UHF 403-425MHz - Type: Stubby - Frequency Band: UHF - Frequency Range: 403-433MHz - GPS: No - Colour Code: Black - Length (mm): 18 Note: Tighten screw 0.9 N-m or 0.8lbf. in - Do not overtighten screw. A T4 Micro TORX driver bit is required.	
Part Number: PMAE4078A ANTENNA KIT - BAND 1 (403-425 MHz) Unit of Measure: EA CE: No RTTE: Yes	List Price \$17.00

Batteries

	
Li-Ion 1800mAh Battery - Dimensions HxWxD(mm): - Weight(g): - Chemistry: Lilon - Operational Time(Hrs): - Capacity[mAH]: 1800mAh(Typical) - Intelligent: N - No. of Charge cycle: 400 - Energy Density (mAh/cm3): - Operating Tem Range (°c): -20 to +60 - Memory Effect: No - IP Rating : IP 54 - Requires Maintenance: Yes - Intrinsic Safety Std: No	
Part Number: HKNN4013A BATTERY, LITHIUM-ION, 1800MAH, 3.7VDC, KIT, (BT90) Unit of Measure: EA CE: Yes RTTE: Yes	List Price \$55.00

	
Li-Ion 1400mAh Battery - Dimensions HxWxD(mm): 53.81 x 35.80 x 7.00 - Weight(g): 45g - Chemistry: Lilon - Operational Time(Hrs): 9 - Capacity[mAH]: 1400mAh(Typical) - Intelligent: No - No. of Charge cycle: 400 - Energy Density (mAh/cm3): 101.6 - Operating Tem Range (°c): -20 to +60 - Memory Effect: No - IP Rating : IP 54 - Requires Maintenance: Yes - Intrinsic Safety Std: No	
Part Number: PMNN4425A BATT LIION 1370MAH (SNN5876A) Unit of Measure: EA CE: Yes RTTE: Yes	List Price \$35.00

Carrying Solutions

		Radio Carry Holder with Swivel Belt Clip - Material: Plastic - Belt Clip: Swivel - Quick release: Yes
Part Number: PMLN5956A CARRY HOLDER Unit of Measure: EA CE: No RTTE: No		List Price \$15.00

		Wrist Strap - Material: Nylon - Color : Black - Length(mm) : 330 (End to End)
Part Number: PMLN6074A WRIST STRAP Unit of Measure: EA CE: No RTTE: No		List Price \$10.00

Chargers & Conditioners

		Multi-Unit Desktop Charger (Euro Plug) - Dimensions HxWxD(mm): 64.35x424x110 - Weight(g): 900 - Chemistry: Lilon - No. of Pockets: 6 - Maintenance system: No - Operating voltage AC: 100-240 - Line Cord: EURO - Display: No - Charger Type: Non-IMPRES
Part Number: PMLN5917A CHR STD MUC INT EU Unit of Measure: EA CE: Yes RTTE: Yes		List Price \$500.00

		Multi-Unit Desktop Charger (UK Plug) - Dimensions HxWxD(mm): 64.35x424x110 - Weight(g):900 - Chemistry: Lilon - No. of Pockets: 6 - Maintenance system: No - Operating voltage AC: 100-240 - Line Cord: UK - Display: No - Charger Type: Non-IMPRES
Part Number: PMLN5918A CCHR STD MUC INT UK Unit of Measure: EA CE: Yes RTTE: Yes		List Price \$500.00

		Micro USB Power Supply Unit - Micro USB Charger - UK and EU adapters included
Part Number: PMPN4006A PSU,AC-DC,240V,USB,EU & UK ADAPTERS Unit of Measure: EA CE: Yes RTTE: Yes		List Price \$16.00

Ear Microphone Solutions

 IMAGE COMING SOON		Surveillance earpiece with Mic and PTT Combined (Black) - Operation: Receive and transmit - PTT: In-line - Vox capability: Yes - Programmable Button: No - Intrinsic Safety Standard: No
Part Number: PMLN5957A SURV. EARPIECE, IN-LINE MIC & PTT Unit of Measure: EA CE: Yes RTTE: Yes		List Price \$100.00

		Swivel earpiece with in-line mic and PTT - Operation: Receive and transmit - PTT: In-line - Vox capability: Yes - Programmable Button: No - Intrinsic Safety Standard: No
Part Number: PMLN5958A SWIVEL EARPIECE, IN-LINE MIC & PTT Unit of Measure: EA CE: Yes RTTE: Yes		List Price \$65.00

Replacement Parts

 Battery Cover Assembly - Material: Plastic - Quick release: Yes	
Part Number: PMLN6000A BATTERY COVER ASSEMBLY FOR MID CAPACITY Unit of Measure: EA CE: No RTTE: Yes	List Price \$15.00

 Battery Cover Assembly - Material: Plastic - Quick release: Yes	
Part Number: PMLN6001A BATTERY COVER ASSEMBLY FOR HIGH CAPACITY Unit of Measure: EA CE: No RTTE: Yes	List Price \$15.00

Service & Repair

 Programming Cable (Micro USB) Cable to allow radio programming	
Part Number: 25-124330-01R CBL ASSY:MICRO USB ACTIVE SYNC Unit of Measure: EA CE: No RTTE: No	List Price \$12.50

Software & Applications

 MOTOTRBO Software CD EMEA - Software CD including CPS v7.0, - Tuner v7.0, and - AirTracer Software v6.0.	
Part Number: GMVN5141U MOTOTRBO CPS/TUNER DVD EMEA Unit of Measure: EA CE: No RTTE: No	List Price \$170.00

Wireless Solutions

	Wireless Accessory Kit - This kit includes.... Earpiece with 12" Cable, Fast PTT Module, Micro USB Charger, User Manual CD - Note: For use with the DP 3000 Series Portables - Wireless Adaptor PMLN5712A must be purchased.	List Price \$550.00
Part Number: GMTN6356A PTT POD, EARPIECE W/12IN CABLE, CHG Unit of Measure: EA	CE: Yes RTTE: Yes	
	Fast PTT module without Charger - Large PTT and volume control 25ms Fast PTT - Fits easily in the hand or pocket - Audible and visual status indicators for Pairing, Bluetooth link, Battery status (low and critical) and Charging status	List Price \$250.00
Part Number: NNTN8191B BT ACCY KIT, STD PAIR, NCHGR Unit of Measure: EA	CE: Yes RTTE: Yes	
	Wireless Earpiece with 12 inch cable This is a replacement wireless earpiece with 12 inch cable for GMTN6356_ wireless kit.	List Price \$285.00
Part Number: NTN2572A EARPIECE W/12" CABLE Unit of Measure: EA	CE: Yes RTTE: Yes	
	Micro USB Power Supply Unit - Micro USB Charger - UK and EU adapters included	List Price \$16.00
Part Number: PMPN4006A PSU, AC-DC, 240V, USB, EU & UK ADAPTERS Unit of Measure: EA	CE: Yes RTTE: Yes	